

Refine Search

Search Results -

Terms	Documents
L10 and (receiv\$3 near notify\$3 near command)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, March 14, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L12</u>	L10 and (receiv\$3 near notify\$3 near command)	0	<u>L12</u>
<u>L11</u>	L10 and (receiv\$3 near command)	2	<u>L11</u>
<u>L10</u>	L6 and atomic\$4	24	<u>L10</u>
<u>L9</u>	L8 and (atomic\$4 near modify\$3)	0	<u>L9</u>
<u>L8</u>	L7 and (modify\$3 near command)	2	<u>L8</u>
<u>L7</u>	L6 and access\$3	277	<u>L7</u>
<u>L6</u>	("doubly linked list") same ("data structure")	297	<u>L6</u>
<u>L5</u>	(atomic\$4 near modify\$3) same ("doubly linked list") same ("data structure")	0	<u>L5</u>
<u>L4</u>	(atomic\$4 near modif\$9) same ("doubly linked list") same ("data structure")	0	<u>L4</u>
<u>L3</u>	(atomic\$4 near modif\$) same ("doubly linked list") same ("data structure")	0	<u>L3</u>
<u>L2</u>	access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near	0	<u>L2</u>

L1 structur\$3) same (atomic\$ near modify\$3)
access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near
structur\$3) same atomic\$

1 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L10 and (receiv\$3 near command)	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, March 14, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L11</u>	L10 and (receiv\$3 near command)	2	<u>L11</u>
<u>L10</u>	L6 and atomic\$4	24	<u>L10</u>
<u>L9</u>	L8 and (atomic\$4 near modify\$3)	0	<u>L9</u>
<u>L8</u>	L7 and (modify\$3 near command)	2	<u>L8</u>
<u>L7</u>	L6 and access\$3	277	<u>L7</u>
<u>L6</u>	("doubly linked list") same ("data structure")	297	<u>L6</u>
<u>L5</u>	(atomic\$4 near modify\$3) same ("doubly linked list") same ("data structure")	0	<u>L5</u>
<u>L4</u>	(atomic\$4 near modif\$9) same ("doubly linked list") same ("data structure")	0	<u>L4</u>
<u>L3</u>	(atomic\$4 near modif\$) same ("doubly linked list") same ("data structure")	0	<u>L3</u>
<u>L2</u>	access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near structur\$3) same (atomic\$ near modify\$3)	0	<u>L2</u>

L1 access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near
structur\$3) same atomic\$

1 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and (atomic\$4 near modify\$3)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Monday, March 14, 2005 [Printable Copy](#) [Create Case](#)

Set
 Name Query
 side by
 side

Hit
 Count Set
 Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L9</u>	L8 and (atomic\$4 near modify\$3)	0	<u>L9</u>
<u>L8</u>	L7 and (modify\$3 near command)	2	<u>L8</u>
<u>L7</u>	L6 and access\$3	277	<u>L7</u>
<u>L6</u>	("doubly linked list") same ("data structure")	297	<u>L6</u>
<u>L5</u>	(atomic\$4 near modify\$3) same ("doubly linked list") same ("data structure")	0	<u>L5</u>
<u>L4</u>	(atomic\$4 near modif\$9) same ("doubly linked list") same ("data structure")	0	<u>L4</u>
<u>L3</u>	(atomic\$4 near modif\$) same ("doubly linked list") same ("data structure")	0	<u>L3</u>
<u>L2</u>	access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near structur\$3) same (atomic\$ near modify\$3)	0	<u>L2</u>
<u>L1</u>	access\$3 same (doubl\$3 near link\$3 near list\$1) same (data near structur\$3) same atomic\$	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(LRU or (least same recent\$ same us\$3)) and ((atomic\$4 near modify\$3) same command)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, March 14, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L4</u>	(LRU or (least same recent\$ same us\$3)) and ((atomic\$4 near modify\$3) same command)	0	<u>L4</u>
<u>L3</u>	L2 and (doubl\$3 same link\$3 same list\$1)	59	<u>L3</u>
<u>L2</u>	L1 and ((back near end) or (front near end))	486	<u>L2</u>
<u>L1</u>	(LRU or (least same recent\$ same us\$3)) and (data near structur\$3)	2895	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L20 and (atomic\$4 near modify\$3)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, March 14, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L21</u>	L20 and (atomic\$4 near modify\$3)	0	<u>L21</u>
<u>L20</u>	L19 and (doubl\$3 same link\$3 same list\$1)	83	<u>L20</u>
<u>L19</u>	L1 and (L7 or L8 or L10 or L11 or L12 or L13 or L14 or L15)	376	<u>L19</u>
<u>L18</u>	L17 and (atomic\$4 near modify\$3)	0	<u>L18</u>
<u>L17</u>	L16 and (doubl\$3 same link\$3 same list\$1)	137	<u>L17</u>
<u>L16</u>	L1 and (L5 or L6 or L9)	1231	<u>L16</u>
<u>L15</u>	711/171-173.ccls.	1288	<u>L15</u>
<u>L14</u>	711/160-163.ccls.	2400	<u>L14</u>
<u>L13</u>	711/133.ccls.	837	<u>L13</u>
<u>L12</u>	711/114.ccls.	1546	<u>L12</u>
<u>L11</u>	711/113.ccls.	905	<u>L11</u>
<u>L10</u>	711/100.ccls.	1095	<u>L10</u>
<u>L9</u>	711/\$.ccls.	24594	<u>L9</u>

<u>L8</u>	710/52.ccls.	1564	<u>L8</u>
<u>L7</u>	710/1.ccls.	996	<u>L7</u>
<u>L6</u>	710/\$.ccls.	21896	<u>L6</u>
<u>L5</u>	707/\$.ccls.	25478	<u>L5</u>
<u>L4</u>	(LRU or (least same recent\$ same us\$3)) and ((atomic\$4 near modify\$3) same command)	0	<u>L4</u>
<u>L3</u>	L2 and (doubl\$3 same link\$3 same list\$1)	59	<u>L3</u>
<u>L2</u>	L1 and ((back near end) or (front near end))	486	<u>L2</u>
<u>L1</u>	(LRU or (least same recent\$ same us\$3)) and (data near structur\$3)	2895	<u>L1</u>

END OF SEARCH HISTORY

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.8Welcome
United States Patent and Trademark Office

» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Sea

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering new one in the text box.

(doubly linked list) <and> structur* <and> comman

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"memory board" "interface configured" + "data storage sytem"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used memory board interface configured data storage
sytem receive modify command atomically modify doubly
linked list data structure provide result

Found 3 of 151,219

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Lock-free reference counting](#)

David L. Detlefs, Paul A. Martin, Mark Moir, Guy L. Steele

August 2001 **Proceedings of the twentieth annual ACM symposium on Principles of distributed computing**

Full text available: [pdf\(802.52 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Assuming the existence of garbage collection makes it easier to design implementations of concurrent data structures. However, this assumption limits their applicability. We present a methodology that, for a significant class of data structures, allows designers to first tackle the easier problem of designing a garbage-collection-dependent implementation, and then apply our methodology to achieve a garbage-collection-independent one. Our methodology is based on the well-known reference counti ...

2 [Fast printed circuit board routing](#)

J. Dion

October 1987 **Proceedings of the 24th ACM/IEEE conference on Design automation**

Full text available: [pdf\(930.33 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes the algorithms in a printed circuit board router used for fully automatic routing of high-density circuit boards. Completely automatic routing and running times of a few minutes have resulted from a new data structure for efficient representation of the routing grid, quick searches for optimal solutions, and generalizations of Lee's algorithm.

3 [A Value Transmission Method for Abstract Data Types](#)

Maurice P. Herlihy, Barbara Liskov

October 1982 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 4 Issue 4

Full text available: [pdf\(1.63 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)